



MONTILE^o

MONTILE SDN BHD
NO.4, Jalan TSB 3,
Taman Industri Sungai Buloh,
47000 Sungai Buloh, Selangor.
Tel : +603 6150 6307



CURTAIN WALL DRY HANGING ECOLOGICAL PAVING STONE SERIES



Environment-friendly paving and pasting new materials
Zero stone advocate




CURTAIN WALL DRY HANGING SERIES

Ecology/**Environmental**
Protection/Energy Saving

THICKNESS:
15MM / 18MM / 20 / 30MM

MONTILE^o

CURTAIN WALL&DRY HANGING SERIES



HB601218 Glossy
SIZE:600X1200MM



HB601219 Glossy
SIZE:600X1200MM



HB601220C Glossy
SIZE:600X1200MM



TH612021 Glossy
SIZE:600X1200MM



L61201C Glossy
SIZE:600X1200MM




L61202C Glossy
SIZE:600X1200MM



HB601221 Glossy
SIZE:600X1200MM



HJS61233 Glossy
SIZE:600X1200MM



612H99 Glossy
SIZE:600X1200MM



HB601222 Glossy
SIZE:600X1200MM



HB601211 Glossy
SIZE:600X1200MM



TYS61208P Glossy
SIZE:600X1200MM

CURTAIN WALL&DRY HANGING SERIES

CURTAIN WALL&DRY HANGING SERIES



XHB601206 Glossy
SIZE:600X1200MM



AMSH61205P Glossy
SIZE:600X1200MM



AMSH61206P Glossy
SIZE:600X1200MM



HB601230 Satin Matt
SIZE:600X1200MM



HB601231 Satin Matt
SIZE:600X1200MM



HB601232 Satin Matt
SIZE:600X1200MM



HB601207 Satin Matt
SIZE:600X1200MM



HB601223 Satin Matt
SIZE:600X1200MM



HMW61212P Satin Matt
SIZE:600X1200MM



AMSH601202 Satin Matt
SIZE:600X1200MM



AMSH601201 Satin Matt
SIZE:600X1200MM



HB601209 Satin Matt
SIZE:600X1200MM

CURTAIN WALL&DRY HANGING SERIES




HB601205
SIZE:600X1200MM Matt



TH612025
SIZE:600X1200MM Matt



HB601203
SIZE:600X1200MM Matt



HB601245
SIZE:600X1200MM Matt



HB601246
SIZE:600X1200MM Matt



HB601247
SIZE:600X1200MM Matt



000000
SIZE:600X1200MM Matt



HB601227
SIZE:600X1200MM Matt



HB601229
SIZE:600X1200MM Matt



HB601241
SIZE:600X1200MM Matt



HB601242
SIZE:600X1200MM Matt



HB601243
SIZE:600X1200MM Matt

CURTAIN WALL&DRY HANGING SERIES


PART OF THE CASE



HB601216
SIZE:600X1200MM
Matt



HB601225
SIZE:600X1200MM
Matt




6234
SIZE:600X1200MM
Matt



HB601235
SIZE:600X1200MM
Matt










ECOLOGICAL PAVING STONE

various **thickness**
specifications available

15MM / 18MM / 20MM,
可根据客户需求定制不同厚度产品。

600X1200/600X900/600X600/300X600
300X900/200X600/400X400/200X400/300X300MM

 **THICKNESS:**
15MM~30MM



MONTILE[®]


ECOLOGICAL PAVING STONE SERIES



HMX36814



21



10Z



HMX368127Z

▼
▲
THICKNESS:
12MM~25MM

SIZE&THICKNESS:

597X1197MM	597X597MM	597X897MM	297X897MM	297X597MM	397X397MM
197X597MM	197X397MM	297X297MM	197X197MM	97X97MM	520X600MM(六角砖)

ECOLOGICAL PAVING STONE SERIES




HMX36809



HM36834



HM36833



HM36802

▼
▲
THICKNESS:
12MM~25MM

SIZE&THICKNESS:

597X1197MM	597X597MM	597X897MM	297X897MM	297X597MM	397X397MM
197X597MM	197X397MM	297X297MM	197X197MM	97X97MM	520X600MM(六角砖)



23
黄锈



36822
福鼎黑







50
新福鼎黑

THICKNESS:
12MM~25MM




SIZE&THICKNESS:

597X1197MM	597X597MM	597X897MM	297X897MM	297X597MM	397X397MM
197X597MM	197X397MM	297X297MM	197X197MM	97X97MM	520X600MM(六角砖)






PART OF THE CASE




PART OF THE CASE



ECOLOGICAL PAVING STONE SERIES



3601
THICKNESS:15MM~30MM



3602
THICKNESS:15MM~30MM



3603
THICKNESS:15MM~30MM



3604
THICKNESS:15MM~30MM

▼
▲
THICKNESS:
15MM~30MM

SIZE&THICKNESS:

597X1197MM	597X597MM	597X897MM	297X897MM	297X597MM	397X397MM
197X597MM	197X397MM	297X297MM	197X197MM	97X97MM	520X600MM(六角砖)


ECOLOGICAL PAVING STONE SERIES



3605
THICKNESS:15MM~30MM



3606
THICKNESS:15MM~30MM



3607
THICKNESS:15MM~30MM

▼
▲
THICKNESS:
15MM~30MM

SIZE&THICKNESS:


597X1197MM	597X597MM	597X897MM	297X897MM	297X597MM	397X397MM
197X597MM	197X397MM	297X297MM	197X197MM	97X97MM	520X600MM(六角砖)

ECOLOGICAL PAVING STONE SERIES

PART OF THE CASE



3608
THICKNESS:15MM~30MM



3609
THICKNESS:15MM~30MM



HM56812Z
SIZE:520X600MM



HM56810Z
SIZE:520X600MM












HM56822Z
SIZE:520X600MM

THICKNESS:
15MM~30MM


SIZE&THICKNESS:

597X1197MM	597X597MM	597X897MM	297X897MM	297X597MM	397X397MM
197X597MM	197X397MM	297X297MM	197X197MM	97X97MM	520X600MM(六角砖)






PART OF THE CASE



PART OF THE CASE



GUIDE BRICK NON-SLIP BRICK SERIES

Natural/**Healthy**
Wear Resistant

SIZE:
300X300MM/300X400MM/378X378MM



MONTILE^o


GUIDE BRICK&NON-SILP BRICK SERIES




M35
SIZE:300X300MM



M35-1
SIZE:300X300MM



M10-1
SIZE:300X300MM




M10
SIZE:300X300MM




M09
SIZE:300X300MM




M09-1
SIZE:300X300MM




M08
SIZE:300X300MM



M08-1
SIZE:300X300MM




M07
SIZE:300X300MM




M07-1
SIZE:300X300MM




GBH302
SIZE:300X300MM




GAH302
SIZE:300X300MM




GBH804
SIZE:300X300MM



GAH804
SIZE:300X300MM




1
SIZE:300X300MM




1-
SIZE:300X300MM

GUIDE BRICK&NON-SILP BRICK SERIES



9
SIZE:300X300MM




Q6
SIZE:300X300MM




Q5
SIZE:300X300MM




Q4
SIZE:300X300MM




Q3
SIZE:300X300MM



Q2
SIZE:300X300MM



Q1
SIZE:300X300MM




GUIDE BRICK&NON-SILP BRICK SERIES




FG701
SIZE:300X300MM



FG702
SIZE:300X300MM



FG103
SIZE:300X300MM



FG311
SIZE:300X300MM



HX1000-3
SIZE:300X300MM




HX2000-3
SIZE:300X300MM




HX3000-3
SIZE:300X300MM

GUIDE BRICK&NON-SILP BRICK SERIES



M16-3
SIZE:378X378MM



M16-4
SIZE:378X378MM



M16-2
SIZE:300X400MM




VFBH802B
SIZE:300X400MM



SQUARE BRICK 4S SHOP BRICK SERIES

Natural/**Healthy**
Wear Resistant

SIZE: 200X200MM/100X200MM
115X230MM/100X100MM




MONTILE^o

SQUARE BRICK&4S SHOP BRICK SERIES



SQUARE BRICK&4S SHOP BRICK SERIES



SQUARE BRICK&4S SHOP BRICK SERIES



HP1000-2
SIZE:200X200MM



HP2000-2
SIZE:200X200MM




HP3000-2
SIZE:200X200MM




HP4000-2
SIZE:200X200MM




HP5000-2
SIZE:200X200MM




HP8000
SIZE:200X200MM




CHBE03
SIZE:200X200MM



CHBE04
SIZE:200X200MM



CHBE09
SIZE:200X200MM



CHBE802
SIZE:200X200MM



CHBE806
SIZE:200X200MM




CHBE8803
SIZE:200X200MM

SQUARE BRICK&4S SHOP BRICK SERIES



H2001
SIZE:200X200MM



H2002
SIZE:200X200MM



FTD2002
SIZE:200X200MM



FTD2003
SIZE:200X200MM



HX2005
SIZE:200X200MM



HK2007
SIZE:200X200MM



NBE02
SIZE:200X200MM



SA2005
SIZE:200X200MM



SQUARE BRICK&4S SHOP BRICK SERIES



HP1000
SIZE:100X200MM



HP2000
SIZE:100X200MM



HP3000
SIZE:100X200MM



HP4000
SIZE:100X200MM



HP5000
SIZE:100X200MM



1015
SIZE:100X200MM



2015
SIZE:100X200MM



3015
SIZE:100X200MM



7015
SIZE:100X200MM



5000
SIZE:100X200MM



D2000
SIZE:100X200MM



JMF328
SIZE:100X200MM



TD7016
SIZE:100X200MM



TD7017
SIZE:100X200MM




TD7022
SIZE:100X200MM

SQUARE BRICK&4S SHOP BRICK SERIES




SQUARE BRICK&4S SHOP BRICK SERIES



SQUARE BRICK&4S SHOP BRICK SERIES



ACCESSORIES PROCESSING




Water jet cutting drilling technology
Applying on 2cm fullbody porcelain tiles.
It will effectively solve the difficult
Problem due to dredge waterways.

Installation Instruction

- 1.Selection:** Check the serial numbers and quantity of the products according to the design requirement, And check the working size and color number. Drawoff products in different packages to conduct trial-pavement inspection, if there is any doubt, please immediately contact our company, then you will get a timely solution.
- 2.Clean basal layer:**The basal layer must be thoroughly cleaned,no oil stain,coating or other adhesive substances allowed.
- 3.Tile immersion:**No need to be immersed.
- 4.Foundation alignment:**Before installation,the basal layer should be aligned,or the tile gaps and the tile surfaces will be uneven.
- 5.Pavement and pasting for gaps:**it is an important measure for ensuring the avoidance of bulging and spalling of pile surfaces caused by expansion caused by heat and contraction caused by cold.
- 6.Direction of pavement and pasting:**Products with textural characteristics should be paved and pasted according to the direction of grains.
- 7.Gap filling:** Gap filling of appropriate colors can be filled in gaps between files in only 24 hours after pavement and pasting of the tiles ,and the gap fillers should filled in and planished along the diagonal direction to tick the smooth and even gap,and then after 2-4 hours of natural drying,use a swabbing cloth to clean the surfaces of the piles.
- 8.Maintenance:**24hours after paving and pasting the piles,conduct spray curing for the tiles,and 48 hours after the paving and pasting can people walk on them.

ACCESSORIES PROCESSING

SUSPENDED PAVING PASTE ADVANTAGE



SUSPENDED PAVING PASTE ADVANTAGE

